



54-108m  
SSL\_1



36m



225t



0-325t  
11-19m



8,4m





360°



13000

m	54	60	66	72	78	84	90	96	102	108	m
8	650										8
9	650	571									9
10	650	571	509	445							10
12	650	571	507	445	376	338	303	268			12
14	576	571	502	445	376	338	303	268	237	209	14
16	512	510	496	444	376	338	303	268	237	209	16
18	461	458	458	437	369	338	303	268	237	208	18
20	418	416	415	414	367	332	303	268	237	208	20
22	383	380	380	378	364	329	299	267	235	207	22
24	352	350	349	347	347	326	296	264	233	204	24
26	326	324	323	321	321	319	293	262	231	201	26
28	303	301	300	298	298	296	287	259	229	199	28
30	282	279	279	277	277	275	275	255	227	197	30
34	247,3	245,6	245	243,6	243	241	241	232,6	215,3	190,3	34
38	216,3	216	215,3	214,3	214	212	212	210,6	203	181,6	38
42	189	190	190	189	190	188	188	186	185	175	42
46	160,3	170	171,3	170,3	170,6	169,3	169,3	167,3	167	162,3	46
50		148,6	154,3	153,6	153,6	152,6	152,6	151	150,6	149	50
54		131	139	139	139	138	138	137	136	135	54
58			119,8	126,3	127,6	126	126,6	125	124,6	123,6	58
62				112	116,6	115,3	116	114,3	114	113	62
66					106	106	106	105	104	103	66
70					93	97	98,6	97,3	96,3	95,3	70
74						86,8	90,8	90,3	89,3	88,1	74
78							82,5	84	83	81,5	78
82								76,5	77,3	75,8	82
86									70,6	70,3	86
90									63	65	90
94										58	94
96										54,5	96

mit 50t Zentralballast



Stand 11/2016